

RESOLUTION NO. \_\_\_\_\_

A RESOLUTION AUTHORIZING THE ADMINISTRATOR FOR THE DEPARTMENT OF PUBLIC WORKS TO AWARD CONTRACT NO. W-15-015-201 TO TALLEY CONSTRUCTION COMPANY, INC. OF ROSSVILLE, GA, 818 GEORGIA AVENUE (19 PATTEN PARKWAY) SEWER RELOCATION, IN THE AMOUNT OF TWO HUNDRED TWENTY-FIVE THOUSAND FIVE HUNDRED FIFTY-EIGHT AND 49/100 DOLLARS (\$225,558.49), WITH A CONTINGENCY AMOUNT OF TWENTY THOUSAND DOLLARS (\$20,000.00), FOR AN AMOUNT NOT TO EXCEED TWO HUNDRED FORTY-FIVE THOUSAND FIVE HUNDRED FIFTY-EIGHT AND 49/100 DOLLARS (\$245,558.49).

---

BE IT RESOLVED BY THE CITY COUNCIL OF THE CITY OF CHATTANOOGA, TENNESSEE, that the Administrator for the Department of Public Works is hereby authorized to award Contract No. W-15-015-201 to Talley Construction Company, Inc. of Rossville, GA, 818 Georgia Avenue (19 Patten Parkway) Sewer Relocation, in the amount of \$225,558.49, with a contingency amount of \$20,000.00, for an amount not to exceed \$245,558.49.

ADOPTED: \_\_\_\_\_, 2016

/mem

# City of Chattanooga



## Resolution/Ordinance Request Form

Date Prepared: May 16, 2016 Revised

Preparer: Dennis Malone

Department: Public Works

Brief Description of Purpose for Resolution/Ordinance: \_\_\_\_\_ Res./Ord. # \_\_\_\_\_ Council District # 8

A City Council resolution is requested to award Contract No. W-15-015-201, 818 Georgia Avenue (19 Patten Parkway) Sewer Relocation, to Talley Construction Company, Inc., of Rossville, GA, in the amount of \$225,558.49 with a contingency amount of \$20,000.00 for an amount not-to-exceed \$245,558.49

Name of Vendor/Contractor/Grant, etc.	<u>Talley Construction Company, Inc.</u>	New Contract/Project? (Yes or No)	<u>Yes</u>
Total project cost \$	<u>245,558.49</u>	Funds Budgeted? (YES or NO)	<u>Yes</u>
Total City of Chattanooga Portion \$	<u>245,558.49</u>	Provide Fund	<u>6010</u>
City Amount Funded \$	<u>245,558.49</u>	Provide Cost Center	<u>K30105</u>
New City Funding Required \$	<u>0</u>	Proposed Funding Source if not budgeted	_____
City's Match Percentage %	_____	Grant Period (if applicable)	_____
<b>List all other funding sources and amount for each contributor.</b>			
<u>Amount(s)</u>	<u>Grantor(s)</u>		
<b>Agency Grant Number</b>			
<b>CFDA Number if known</b>			
<b>Other comments: (Include contingency amount, contractor, and other information useful in preparing resolution)</b>			
<b>Funding is ISS Funding</b>			
Reviewed by: FINANCE OFFICE			Approved by: <u>[Signature]</u>
Please submit completed form to @budget, City Attorney and City Finance Officer			DESIGNATED OFFICIAL/ADMINISTRATOR

Revised: 1/26/09



**City of Chattanooga**  
MAYOR ANDY BERKE

MEMORANDUM

Date: May 16, 2016

To: Eric Brooks, Engineering Manager WRD

From: Dennis Malone, Assistant City Engineer 

Re: Contract No W-15-015-201 – 818 Georgia Avenue (19 Patten Parkway) Sewer Relocation Project

Attached is the bid tabulation for the two bids received for the above mentioned project that was opened on Thursday, April 21.

Originally I had recommended only the Base Bid, based on the unwillingness of the owner to agree to the full extension, which included an easement. Since then, the owner is deceased and the Estate is now agreeable to the extension and the easement.

Talley Construction Company, Inc., from Rossville, GA is the apparent lowest and best bid. My recommendation is to accept their Base Bid plus Alternate of \$225,558.49 for award with a contingency fund of \$20,000.00 for a total encumbrance of \$245,558.49.

**Bid Schedule  
Contract W-15-015  
City of Chattanooga**

				Talley Construction Co., Inc.		Thomas Brothers Construction		
Note: Unless otherwise stated, all bid items shall be complete installation as specified and or shown on the drawings.				1751 McFarland Avenue		7849 Dayton Pike		
BASE BID GROUP I				Rossville, GA 30741		Hixson, TN 37343		
Item No.	Description	Unit	Est. No of Units	Unit Price	Item Total	Unit Price	Item Total	Differences
<b>Earthwork, complete in place as specified and/or shown on drawings</b>								
1	Crushed rock backfill complete in place as specified and/or shown on drawings in trench for pipe sewers in streets driveways, and parking lots from top of bedding to finished grade, for pipe depth indicated.							
1-6	Backfill for 6-inch or 4-inch diameter service line (regardless of depth) beyond main trench	LF	10	\$ 33.38	\$ 333.80	\$ 45.00	\$ 450.00	
1-10	Backfill for 10-inch diameter pipe							
1-10.03	8.1' to 10.0' deep	LF Trench	1	\$ 77.36	\$ 77.36	\$ 90.00	\$ 90.00	
1-10.04	10.1' to 12.0' deep	LF Trench	19	\$ 82.31	\$ 1,563.89	\$ 100.00	\$ 1,900.00	
1-10.05	12.1' to 14.0' deep	LF Trench	1	\$ 128.78	\$ 128.78	\$ 150.00	\$ 150.00	
1d	Street sawcut over 5-inches thick	LF	290	\$ 1.79	\$ 519.10	\$ 5.00	\$ 1,450.00	
1-12	Backfill for 12-inch diameter pipe							
1-12.02	6.1' to 8.0' deep	LF Trench	1	\$ 51.12	\$ 51.12	\$ 90.00	\$ 90.00	
1-12.03	8.1' to 10.0' deep	LF Trench	40	\$ 62.16	\$ 2,486.40	\$ 95.00	\$ 3,800.00	
1-12.04	10.1' to 12.0' deep	LF Trench	84	\$ 80.85	\$ 6,791.40	\$ 105.00	\$ 8,820.00	
1-12.05	12.1' to 14.0' deep	LF Trench	1	\$ 128.78	\$ 128.78	\$ 150.00	\$ 150.00	
<b>Rock</b>								
2	Trench Rock	CY	83	\$ 108.96	\$ 9,043.68	\$ 50.00	\$ 4,150.00	
<b>Cast in place concrete, complete in place as specified or as shown on the drawings</b>								
3a	Class A concrete	CY	2	\$ 449.03	\$ 898.06	\$ 550.00	\$ 1,100.00	
3b	Class B concrete	CY	2	\$ 353.63	\$ 707.26	\$ 500.00	\$ 1,000.00	
<b>Asphalt Lined Ditch</b>								
<b>New and Replacement paving, sidewalks and tree removal</b>								
16a	replace 8-inch thick nonreinforced concrete driveways and roadways	SF	80	\$ 24.53	\$ 1,962.40	\$ 12.00	\$ 960.00	
16b	Replace 4-inch thick nonreinforced concrete in sidewalks including handicap ramps	SF	80	\$ 24.27	\$ 1,941.60	\$ 7.00	\$ 560.00	
16c	Replace 6-inch reinforced concrete drive way aprons	SF	160	\$ 24.08	\$ 3,852.80	\$ 10.00	\$ 1,600.00	
16d	Construct 6" curb & gutter	LF	20	\$ 99.98	\$ 1,999.60	\$ 30.00	\$ 600.00	
26	Type 'B' Modified asphalt binder	TN	26	\$ 162.73	\$ 4,230.98	\$ 350.00	\$ 9,100.00	
26a	Topping	TN	11	\$ 162.73	\$ 1,790.03	\$ 350.00	\$ 3,850.00	
27	Mill/Excavate and Replace Asphalt Ditch on North Side of Parking Lot for Positive Drainage to CB #2, running from CB #2 east 40'. Paved apron shall be 8' wide by 40' minimum, at 4" minimum depth on 2" minimum stone base.	LS	1	\$ 4,878.71	\$ 4,878.71	\$ 7,500.00	\$ 7,500.00	

**Bid Schedule  
Contract W-15-015  
City of Chattanooga**

Item No.	Description	Unit	Est. No of Units	Unit Price	Item Total	Unit Price	Item Total	Differences
<b>Slope protection and erosion control. All costs are to be complete in place as shown on drawings or as directed by the Owner.</b>								
98b	Inlet Protection	EA	1	\$ 472.19	\$ 472.19	\$ 250.00	\$ 250.00	
98c	Check dams	EA	1	\$ 616.10	\$ 616.10	\$ 250.00	\$ 250.00	
<b>Mobilization</b>								
717	Mobilization	LS	1	\$ 12,739.55	\$ 12,739.55	\$ 68,000.00	\$ 68,000.00	
<b>01720 Project Record Documents</b>								
01720a	Project record data of manholes of each project in Excel ® format on provided floppy disc, certified As-Built on P & P sheets including digital cad file in AutoCAD ® format.	LS	1	\$ 2,240.00	\$ 2,240.00	\$ 2,000.00	\$ 2,000.00	
<b>Manholes</b>								
<b>02560a Precast or cast in place concrete manholes, standard cover or watertight cove (where shown on drawings) including frame, cover, cone or slab, brickwork required, base and riser, etc. Complete in Place as specified or as shown on the drawings.</b>								
02560a-1	4-ft diameter manhole 0-ft to 6-ft deep with base	EA	1	\$ 3,281.17	\$ 3,281.17	\$ 5,000.00	\$ 5,000.00	
02560a-2	Standard 4-ft diameter manhole riser section - extra depth over 6-ft.	VF	5.5	\$ 196.13	\$ 1,078.72	\$ 300.00	\$ 1,650.00	
02560a-4	Grout existing manholes using non-shrink grout	EA	1	\$ 294.76	\$ 294.76	\$ 1,000.00	\$ 1,000.00	
<b>02560c Bore and boot existing manholes</b>								
02560c-12	12-inch	EA	1	\$ 2,066.39	\$ 2,066.39	\$ 1,750.00	\$ 1,750.00	
<b>02752 T.V. Inspection of Sewers</b>								
02752-10	10-inch pipe	LF	19	\$ 13.44	\$ 255.36	\$ 10.00	\$ 190.00	
02752-12	12-inch pipe	LF	124	\$ 2.24	\$ 277.76	\$ 10.00	\$ 1,240.00	
<b>Flowable Controlled Low Strength Material (CLSM) for abandoned underground pipe or for cuts made in state routes</b>								
03575	CLSM	CY	10	\$ 143.40	\$ 1,434.00	\$ 120.00	\$ 1,200.00	
<b>PVC sewers and service lines with bell and spigot o-ring joints installed in trench including excavation, bedding, non-stone earth backfill as required, etc. complete in place as specified.</b>								
<b>15064a-10 10-inch PVC pipe</b>								
15064a-10.03	8.1' to 10.0' deep	LF	10	\$ 68.92	\$ 689.20	\$ 150.00	\$ 1,500.00	
15064a-10.04	10.1' to 12.0' deep	LF	19	\$ 63.05	\$ 1,197.95	\$ 175.00	\$ 3,325.00	
15064a-10.05	12.1' to 14.0' deep	LF	10	\$ 68.92	\$ 689.20	\$ 200.00	\$ 2,000.00	
<b>15064a-12 12-inch PVC pipe</b>								
15064a-12.02	6.1' to 8.0' deep	LF	10	\$ 67.20	\$ 672.00	\$ 150.00	\$ 1,500.00	
15064a-12.03	8.1' to 10.0' deep	LF	40	\$ 65.60	\$ 2,624.00	\$ 160.00	\$ 6,400.00	
15064a-12.04	10.1' to 12.0' deep	LF	103	\$ 67.49	\$ 6,951.47	\$ 185.00	\$ 19,055.00	
15064a-12.05	12.1' to 14.0' deep	LF	10	\$ 74.27	\$ 742.70	\$ 215.00	\$ 2,150.00	
<b>15064b PVC pipe risers complete in place</b>								
15064b-6	6-inch clean out	EA	1	\$ 297.51	\$ 297.51	\$ 500.00	\$ 500.00	

**Bid Schedule  
Contract W-15-015  
City of Chattanooga**

Item No.	Description	Unit	Est. No of Units	Unit Price	Item Total	Unit Price	Item Total	Differences
<b>15064c</b>	<b>PVC pipe tees, complete in place as specified or as shown on the drawings</b>							
15064c-12T6	12-inch x 6-inch pipe tee	EA	2	\$ 233.30	\$ 466.60	\$ 1,000.00	\$ 2,000.00	
<b>15064d</b>	<b>PVC pipe deflection test</b>							
15064d-12	12-inch PVC pipe deflection test	LF	124	\$ 1.14	\$ 141.36	\$ 5.00	\$ 620.00	
<b>Special Waste Removal</b>								
SP-1	Haul Suspected Special Waste Material to City Site (<4 miles), to be paid for per scale ticket	TN	175	\$ 10.56	\$ 1,848.00	\$ 25.00	\$ 4,375.00	
SP-2	Containment and Cover of Suspected Special Waste Material	LS	1	\$ 5,938.28	\$ 5,938.28	\$ 1,000.00	\$ 1,000.00	
SP-3	Load and Haul Special Waste Material to Permitted Special Waste Landfill, to be paid for per scale ticket	TN	175	\$ 76.50	\$ 13,387.50	\$ 75.00	\$ 13,125.00	
MUTCD-1	Traffic Control (subject to MUTCD and City Transportation Approval)	LS	1	\$ 8,701.83	\$ 8,701.83	\$ 2,000.00	\$ 2,000.00	
<b>Total for Base Bid:</b>					\$ 112,489.35		\$ 189,400.00	
<b>ADD ALTERNATE 1</b>								
Item No.	Description	Unit	Est. No of Units	Unit Price	Item Total	Unit Price	Item Total	Differences
<b>Earthwork, complete in place as specified and/or shown on drawings</b>								
<b>1</b>	<b>Crushed rock backfill complete in place as specified and/or shown on drawings in trench for pipe sewers in streets driveways, and parking lots from top of bedding to finished grade, for pipe depth indicated.</b>							
1-6	Backfill for 6-inch or 4-inch diameter service line (regardless of depth) beyond main trench	LF	40	\$ 33.70	\$ 1,348.00	\$ 45.00	\$ 1,800.00	
<b>1-10 Backfill for 10-inch diameter pipe</b>								
1-10.03	8.1' to 10.0' deep	LF Trench	10	\$ 76.90	\$ 769.00	\$ 90.00	\$ 900.00	
1-10.04	10.1' to 12.0' deep	LF Trench	10	\$ 82.24	\$ 822.40	\$ 100.00	\$ 1,000.00	
1-10.05	12.1' to 14.0' deep	LF Trench	10	\$ 128.12	\$ 1,281.20	\$ 150.00	\$ 1,500.00	
<b>1-12 Backfill for 12-inch diameter pipe</b>								
1-12.04	10.1' to 12.0' deep	LF Trench	10	\$ 82.00	\$ 820.00	\$ 105.00	\$ 1,050.00	
1-12.05	12.1' to 14.0' deep	LF Trench	90	\$ 99.66	\$ 8,969.40	\$ 150.00	\$ 13,500.00	
<b>Rock Excavation</b>								
2	Trench Rock	CY	60	\$ 108.95	\$ 6,537.00	\$ 50.00	\$ 3,000.00	
<b>Cast in place concrete, complete in place as specified or as shown on the drawings</b>								
3a	Class A concrete	CY	4	\$ 448.75	\$ 1,795.00	\$ 500.00	\$ 2,000.00	
3b	Class B concrete	CY	1	\$ 353.63	\$ 353.63	\$ 500.00	\$ 500.00	

**Bid Schedule  
Contract W-15-015  
City of Chattanooga**

Item No.	Description	Unit	Est. No of Units	Unit Price	Item Total	Unit Price	Item Total	Differences
<b>Asphalt Lined Ditch</b>								
15-2	Mill/Excavate Existing Asphalt and Pavement Ditch & Construct Asphalt Ditch on North Side of Parking Lot. Grade for Positive Drainage from 40' East of CB #2 toward CB#2. Ditch to be approximately 8' wide, 40' long, 4" minimum thickness. Pavement shall be placed to neat saw-cut lines and shall be flush with existing surfaces at tie-ins. Grades to be field-adjusted for drainage.	LS	1	\$ 4,878.71	\$ 4,878.71	\$ 7,500.00	\$ 7,500.00	
<b>New and Replacement paving, sidewalks and tree removal</b>								
16a	replace 8-inch thick nonreinforced concrete driveways and roadways	SF	40	\$ 24.08	\$ 963.20	\$ 12.00	\$ 480.00	
16b	Replace 4-inch thick nonreinforced concrete in sidewalks including handicap ramps	SF	40	\$ 24.08	\$ 963.20	\$ 7.00	\$ 280.00	
16c	Replace 6-inch reinforced concrete drive way aprons	SF	40	\$ 24.08	\$ 963.20	\$ 10.00	\$ 400.00	
<b>Slope protection and erosion control. All costs are to be complete in place as shown on drawings or as directed by the Owner.</b>								
98b	Inlet Protection	EA	2	\$ 472.20	\$ 944.40	\$ 500.00	\$ 1,000.00	
98c	Check dams	EA	2	\$ 616.10	\$ 1,232.20	\$ 500.00	\$ 1,000.00	
<b>Mobilization</b>								
717	Mobilization	LS	1	\$ 12,739.55	\$ 12,739.55	\$ 68,000.00	\$ 68,000.00	
<b>01720 Project Record Documents</b>								
01720a	Project record data of manholes of each project in Excel ® format on provided floppy disc, certified As-BUILTS on P & P sheets including digital cad file in AutoCAD ® format.	LS	1	\$ 2,240.00	\$ 2,240.00	\$ 2,000.00	\$ 2,000.00	
<b>Manholes</b>								
<b>02560a Precast or cast in place concrete manholes, standard cover or watertight cove (where shown on drawings) including frame, cover, cone or slab, brickwork required, base and riser, etc. Complete in Place as specified or as shown on the drawings.</b>								
02560a-1	4-ft diameter manhole 0-ft to 6-ft deep with base	EA	1	\$ 3,617.17	\$ 3,617.17	\$ 5,000.00	\$ 5,000.00	
02560a-2	Standard 4-ft diameter manhole riser section - extra depth over 6-ft.	VF	6.5	\$ 196.06	\$ 1,274.39	\$ 300.00	\$ 1,950.00	
02560a-3d	Additional manhole adjustments as directed	EA	2	\$ 749.50	\$ 1,499.00	\$ 1,000.00	\$ 2,000.00	
02560a-4	Grout existing manholes using non-shrink grout	EA	1	\$ 294.76	\$ 294.76	\$ 1,000.00	\$ 1,000.00	
<b>02752 T.V. Inspection of Sewers</b>								
02752-10	10-inch pipe	LF	10	\$ 28.00	\$ 280.00	\$ 10.00	\$ 100.00	
02752-12	12-inch pipe	LF	90	\$ 3.36	\$ 302.40	\$ 1.00	\$ 90.00	
<b>Flowable Controlled Low Strength Material (CLSM) for abandoned underground pipe or for cuts made in state routes</b>								
03575	CLSM	CY	5	\$ 143.44	\$ 717.20	\$ 120.00	\$ 600.00	
<b>Ductile iron piping. Ductile iron pipe sewers with push-on joints and rubber o-ring gaskets, excavation, bedding stone, non-stone earth backfill as required, complete in place as specified and/or shown on drawings</b>								
<b>15062a Ductile iron pipe sewer service lines</b>								
15062a-6	6-inch service line	LF	20	\$ 113.73	\$ 2,274.60	\$ 150.00	\$ 3,000.00	
<b>15062a-12 12-inch ductile iron pipe Class 52</b>								
15062a-12.03	8.1' to 10.0' deep	LF	10	\$ 166.51	\$ 1,665.10	\$ 180.00	\$ 1,800.00	
15062a-12.04	10.1' to 12.0' deep	LF	80	\$ 118.14	\$ 9,451.20	\$ 205.00	\$ 16,400.00	
15062a-12.05	12.1' to 14.0' deep	LF	10	\$ 178.17	\$ 1,781.70	\$ 235.00	\$ 2,350.00	

**Bid Schedule  
Contract W-15-015  
City of Chattanooga**

Item No.	Description	Unit	Est. No of Units	Unit Price	Item Total	Unit Price	Item Total	Differences
<b>15062b</b>	<b>DI pipe risers complete in place</b>							
15062b-6	6-inch clean out	EA	1	\$ 856.69	\$ 856.69	\$ 1,500.00	\$ 1,500.00	
	<b>PVC sewers and service lines with bell and spigot o-ring joints Installed in trench including excavation, bedding, non-stone earth backfill as required, etc. complete in place as specified.</b>							
<b>15064a</b>	<b>PVC pipe sewer service lines</b>							
	<b>*For 214 8th Street</b>							
15064a-6	6-inch service line	LF	20	\$ 60.32	\$ 1,206.40	\$ 100.00	\$ 2,000.00	
<b>15064a-10</b>	<b>10-inch PVC pipe</b>							
15064a-10.03	8.1' to 10.0' deep	LF	10	\$ 69.33	\$ 693.30	\$ 150.00	\$ 1,500.00	\$ 150.00
15064a-10.04	10.1' to 12.0' deep	LF	10	\$ 68.19	\$ 681.90	\$ 175.00	\$ 1,750.00	\$ 175.00
15064a-10.05	12.1' to 14.0' deep	LF	10	\$ 69.33	\$ 693.30	\$ 200.00	\$ 2,000.00	
<b>15064a-12</b>	<b>12-inch PVC pipe</b>							
15064a-12.03	8.1' to 10.0' deep	LF	10	\$ 72.24	\$ 722.40	\$ 160.00	\$ 1,600.00	
15064a-12.04	10.1' to 12.0' deep	LF	12	\$ 70.13	\$ 841.56	\$ 185.00	\$ 2,220.00	\$ 185.00
15064a-12.05	12.1' to 14.0' deep	LF	10	\$ 74.27	\$ 742.70	\$ 215.00	\$ 2,150.00	\$ 215.00
<b>15064b</b>	<b>PVC pipe risers complete in place</b>							
15064b-6	6-inch clean out	EA	1	\$ 297.51	\$ 297.51	\$ 500.00	\$ 500.00	
<b>15064c</b>	<b>PVC pipe tees, complete in place as specified or as shown on the drawings</b>							
15064c-12T6	12-inch x 6-inch pipe tee	EA	1	\$ 233.30	\$ 233.30	\$ 1,000.00	\$ 1,000.00	
<b>15064d</b>	<b>PVC pipe deflection test</b>							
15064d-12	12-inch PVC pipe deflection test	LF	12	\$ 1.18	\$ 14.16	\$ 5.00	\$ 60.00	
	<b>Storm Drainage</b>							
31	18" RCP Class 2	LF	80	\$ 63.77	\$ 5,101.60	\$ 150.00	\$ 12,000.00	
34	Catch Basins 3' x 3' x 5.5' High with Gr	EA	2	\$ 3,725.00	\$ 7,450.00	\$ 4,000.00	\$ 8,000.00	
	Stone Backfill	LF	20	\$ 17.95	\$ 359.00	\$ 100.00	\$ 2,000.00	
	<b>Special Waste Removal</b>							
SP-1	Haul Suspected Special Waste Material to City Site (<4 miles), to be paid for per scale ticket	TN	10	\$ 10.66	\$ 106.60	\$ 25.00	\$ 250.00	
SP-2	Containment and Cover of Suspected Special Waste Material	LS	1	\$ 5,938.28	\$ 5,938.28	\$ 1,000.00	\$ 1,000.00	
SP-3	Load and Haul Special Waster Material to Permitted Special Waste Landfill, to be paid for per scale ticket	TN	100	\$ 76.51	\$ 7,651.00	\$ 75.00	\$ 7,500.00	
MUTCD-1	Traffic Control (subjectg to MUTCD and City Transportation Approval)	LS	1	\$ 8,701.83	\$ 8,701.83	\$ 2,000.00	\$ 2,000.00	


**Bid Schedule  
Contract W-15-015  
City of Chattanooga**

Item No.	Description	Unit	Est. No of Units	Unit Price	Item Total	Unit Price	Item Total	Differences
<b>Total for Add Alternate:</b>					\$ 113,069.14		\$ 189,230.00	\$ 190,040.00
<p>Note: Bid items with an estimated number of units of "0" may not have been identified by the owner, but are included in order to obtain unit prices for potential items of work. Bids which contain unbalanced unit prices for these items may be declared nonresponsive and rejected at the sole discretion of the Owner without recourse.</p>								
Subtotal Base Bid Group I:			<b>\$ 112,489.35</b>			<b>\$ 189,400.00</b>		
Subtotal Add Alternate I:			<b>\$ 113,069.14</b>			<b>\$ 189,230.00</b>	\$ 190,040.00	
<b>GRAND TOTAL:</b> (Base Bid Group I + Add Alternate I)			<b>\$ 225,558.49</b>			<b>\$ 378,630.00</b>	\$ 379,440.00	

**Bid Tabulation Certification**

I hereby certify that the above is a true and accurate tabulation of the bids received at 2:00 p.m. on Thursday, April 21, 2016 in Conference Room G13, City Hall, for 818 Georgia Ave (19 Patton Pkwy) Sewer Relocation, Contract Number W-15-015-201 for the City of Chattanooga, TN.

By: \_\_\_\_\_



Andrew C Hutsell, P.E. TN #108726  
City of Chattanooga